



**Embassy of the United States of America  
Khartoum, Sudan**

August 8<sup>th</sup>., 2019

Dear Prospective Vendors,

Subject: Request for Quotation

The US Embassy Khartoum would like to call for qualified contractors/vendors to supply roofs extruded polystyrene sheets per the following requirements:

The contractor shall submit the bid for the supply of the following items **separately**

1- Extruded polystyrene sheets

- Thickness: 5 cm (2 inch) ( $\pm 0.2$ )
- Quantity: 5,225 Square Meter

➤ Extruded polystyrene sheets shall have the following specs

- Rigid board manufactured through a continuous extrusion process of polystyrene
- Skin XPS Foam Board
- Thermal Properties Long-term, stable R-value. Not less than (R-10)/inch
- Thermal Conductivity  $\leq 0.03$  w/(m.k).
- Working Temperature -50°C to + 75 °C
- Compressive strength not less than 300 Kpa.
- Density: 32-38 Kg/m<sup>3</sup>
- Size: not less than 120 cm (L) X 60 cm (B)
- Do not support mold or mildew growth.
- Packaging: wrapped in bundles

2- Extruded polystyrene sheets

- Thickness: 2.5 cm (1 inch) ( $\pm 0.1$ )
- Quantity: 10,450 Square Meter

Extruded polystyrene sheets shall have the following specs

- Rigid board manufactured through a continuous extrusion process of polystyrene
- Skin XPS Foam Board
- Thermal Properties Long-term, stable R-value. Not less than (R-5)/inch
- Thermal Conductivity  $\leq 0.03$  w/(m.k).
- Working Temperature -50°C to + 75 °C
- Compressive strength not less than 170 Kpa.
- Density: 32-38 Kg/m<sup>3</sup>
- Size: not less than 120 cm (L) X 60 cm (B)
- Do not support mold or mildew growth.
- Packaging: wrapped in bundles

- The work shall include transportation, delivery and handling inside the presidential compound, in Khartoum as requested by the COR.

No contractor/vendor offer shall be considered for evaluation without submitting the following with the quotation:-

- a sample 15 cm X 15 cm
- full specifications of the extruded polystyrene

For any inquires, kindly send it before Thursday 22 August 2019, 04:00 pm. to [alashgerya@state.gov](mailto:alashgerya@state.gov) The embassy shall reply to all bidders by Monday 26 August .

Hard copies of the quotations shall be submitted to the embassy at Kilo 10, Soba. No quotations shall be accepted after Thursday 29<sup>th</sup>. August 2019 at 15:00 pm.

Sincerely,

**Jolanta Mikiewicz**  
**Contracting Office**